



GOLDEN EAGLE CHEMICAL, INC.  
400 Paredes Line Rd. Suite 5, Brownsville, Texas, 78521 U.S.A.

## PRODUCT DATA SHEET

### Bright Stock 150

PROPERTY	ASTM TEST METHOD	TYPICAL PROPERTIES
Color	D1500	L 4.5
Appearance	Visual	Bright
Viscosity @ 40°C, cSt	D445	510
Viscosity @ 100°C, cSt	D445	32.5
Viscosity @ 100°F, SUS	D2161	2743
Viscosity @ 210 F, SUS	D2161	159
Viscosity Index	D2270	95
Flash, C.O.C. °C	D92	296
Pour Point, °C	D5949	-6
Paraffinic Carbon Atoms %	D2140	71
Naphthenic Carbon Atoms %	D2140	25
Aromatic Carbon Atoms %	D2140	4
Gravity, API @ 60°F	D1250	27.6
Specific Gravity @ 60°F	D4052	0.8895
Lbs.Per Gallon @ 60 F	Calculated	7.407