



GOLDEN EAGLE CHEMICAL, INC.  
400 Paredes Line Rd. Suite 5, Brownsville, Texas, 78521 U.S.A.

## PRODUCT DATA SHEET

### Pale Oil 100

PROPERTY	ASTM TEST METHOD	TYPICAL PROPERTIES
Color	D 1500	L1.0
Appearance	Visual	Clear & Bright
Viscosity @ 40°C, cSt	D 445	20.82
Viscosity, @100°C, cSt	D 445	3.73
Viscosity, 100°F, SUS	D 2161	110
Viscosity, 210°F, SUS	D2161	38.4
Flash Point, COC °C (F)	D 92	160 ( 320 )
Aniline Point, °C (F)	D611	79 (174)
Carbon Analysis, Wt. %	D2140	
Ca		17
Cn		41
Cp		42
Pour Point, ° C, (° F)	D 97	-51( -60 )
Specific Gravity, 60 ° F	D 1250	.9024
Gravity, API @ 60°F	D 4052	25.3
Lbs. Per Gallon @ 60°F	Calculated	7.514