



GOLDEN EAGLE CHEMICAL, INC.
400 Paredes Line Rd. Suite 5, Brownsville, Texas, 78521 U.S.A.

PRODUCT DATA SHEET

Pale Oil 40

PROPERTY	ASTM TEST METHOD	TYPICAL PROPERTIES
Color	D 1500	L0.5
Appearance	Visual	Clear & Bright
Viscosity @ 40 °C, cSt	D 445	5.29
Viscosity @ 100 °C, cSt	D 445	1.72
Viscosity @ 100 ° F SUS	D 2161	44
Viscosity @ 210 ° F SUS	D 2161	31.9
Viscosity Index	D2270	67
Flash Point, COC, °F	D 92	248
Flash Point, COC °C	D 92	120
Pour Point, ° C (° F)	D97	-62 (-80)
Aniline Point, °C (°F)	D611	65 (149)
Specific Gravity, 60 ° F	D 287	0.8883
Gravity, API @ 60°F	D 1250	27.8
Lbs. Per Gallon @ 60°F	Calculated	7.397