

GOLDEN EAGLE CHEMICAL, INC. 400 Paredes Line Rd. Suite 5, Brownsville, Texas, 78521 U.S.A.

Phone (956) 544-5818 Fax (956) 544-5818

MSDS PALE OIL 500

MATERIAL SAFETY DATA SHEET

PRODUCT:		NAPHTHENIC BASE OIL – 500 PALE		
NFPA Rating:		Flammability: 1, Reactivity: 0, Health:0		
		<u></u>		
SECTION 1: MANUFACTURER AND LOCATION				
Manufacturers Name:		GOLDEN EAGLE CHEMICAL,INC		
Address:		PAREDES LINE SUITE 5, BROWNSVILLE, TEXAS		
Telephone Number:		(956) 544 58 18		
Emergency:		1-800-299-2671		
SECTION 2: MATERIAL IDEN	ITIFICATION AND	INFORMATION		
COMPONENT	CAS NUMBER	TLV/PEL (mg/M3)	WEIGHT %	
PETROLEUM OIL	64742-52-5	5 (AS OIL MIST)	100	
The specific chemical names and composition of the components not disclosed is confidential business information and is withheld as permitted by 29CFR 1910.1200 and various state Right-to-Know laws. This material is not known to contain any chemical listed as a carcinogen or suspected carcinogen by OSHA Hazard Communication Standard 29CFR 1910.1200, IARC, or the National Toxicology Program (NTP) at a concentration greater than 0.1%.				
SECTION 3: PHYSICAL AND	CHEMICAL PROP	ERTIES		
Chemical Name:		NAPHTHENIC BASE OIL – 500 PALE		
Form:		Liquid		
Odor:		Slight petroleum odor		
Specific Gravity (water = 1):		0.87		
Melting Point:		NE		
Boiling Point:		NE		
Volatility, weight % at 25C:		Negligible		
Evaporation Rate:		Negligible		
Vapor Pressure, mmHg at 25C:		< 1 mm		
Solubility in Water:		Insoluble		
Stability:		Stable under normal conditions		
SECTION 4: FIRE AND EXPL	OSION DATA			
Flashpoint (Cleveland Open Cup):		390F		
Autoignition Temperature:		NE		
Flammable Limits:		NE		
Fire Extinguishing Agents:		Water Spray (fog), dry chemical, foam, halon, or carbon dioxide. Water stream may splash burning liquid and spread fire.		
Special Fire Fighting Procedures:		As for petroleum products. Do not use direct or heavy water stream to fight fire. Use self-contained breathing apparatus to fight fires.		
SECTION 5: FIRST AID				
Contact with EYES:		Immediately flush with large quantities of cool water for at least 15 minutes. Get medical attention.		
Contact with SKIN:		Wash off with soap and water.		
Inhalatian.		Damaya to funch air If not hundthing give outificial receiv	estion Cot modical attention	

Ingestion:	Do NOT induce vomiting. Get medical attention.	
SECTION 6: REACTIVITY		
Reactivity:	Stable under normal temperatures and pressures.	
Incompatibilities:	Strong oxidizing agents, heat, open flame.	
Hazardous Polymerization:	Does not occur.	
Hazardous Decomposition Products:	CO2, CO	
SECTION 7: SPECIAL PROTECTION	N INFORMATION	
Ventilation (Local, Mechanical, Special):	Use in a well ventilated area with local exhaust ventilation.	
Respiratory Protection:	Ose in a wen ventuated area with local exhaust ventuation.	
Respiratory Protection.	None required in normal use. Use only NIOSH/MSHA Organic vapor approved equipment if necessary.	
Gloves:	Not required in normal use.	
Eye Protection:	Goggles or safety glasses are recommended.	
Other Protective Equipment:	Practice good personal hygiene. Wash hands after use and handling.	
SECTION 8: ENVIRONMENTAL PR	ROCEDURES	
Spills or Leaks:		
	Contain any spills with absorbents to prevent migrations and entry into sewers or streams. Take up small spills with dry chemical absorbent. Large spills may be taken up with pump or vacuum and finished off with dry chemical absorbent. May require excavation of contaminated soil.	
Waste Disposal:	To the best of Golden Eagle INC. knowledge, this product is not regulated by CERCLA/RCRA as a hazardous waste or material. However, this product has not been tested for the toxicity characteristic via the Toxicity Characteristic Leaching Procedure. Therefore, it may be disposed of as an industrial waste in a manner acceptable to good waste management practice and in compliance with applicable local, state, and federal regulations.	
Right-to-Know:	None	
TSCA:	This material is in compliance with the Toxic Substances Control Act (15USC2601-2629)	
SECTION 9: STORAGE AND HAND		
Keep containers sealed until ready for use. A Store in well ventilated areas.	void excessive long-term storage temperatures to prolong shelf life. Maximum storage temperature: 120F.	
SECTION 10: TRANSPORT		
D.O.T. Shipping Name:	Not Regulated	
D.O.T. I.D. Number:	NA NA	
Reportable Quantity:	NA	
Freight Classification:	NA	
UN Hazard Class:	NA NA	
Special Transportation Notes:	None	
Notes: NA = Not Applicable NE = Not Established		

Golden Eagle INC. believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. No warranty of fitness, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specific product designated and may not be valid where such product is used in combination with any other materials or process. Further, since the conditions and methods of use of this product and of the information referred to herein are beyond the control of Golden Eagle INC., Golden Eagle INC. expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.

Revision Date: October 22, 2003
Supercedes: Any previous versions
Prepared by: Riverside Laboratories